

Get serious. Get a Grifco.

REMOTE ACCESS DEVICES

Wireless Transmitters for Security and Convenience









CELEBRATING 100 YEARS OF AUSTRALIAN MANUFACTURING

REMOTE ACCESS DEVICES

Wireless transmitters for security and convenience



Wireless Wall Control

The 2-channel Wireless Wall Control is ideal for internal applications that are in view of the commercial door.

In the absence of Entrapment Protection Devices the wall control allows for latching open and wireless hold-to-close. When entrapment protection is added, the controller with also allow for latching closed via a single press.

It features a yellow LED indicator when it is in operation. It can be operated as a 2-channel transmitter or dedicated open / close single door controller.



Product Guide

Part No.	E138G
Description	2-channel transmitter for wall mounting on internal walls



Product Guide

Part No.	E840G
Description	Wireless keypad for external keyless entry

Wireless Security Keypad

The Wireless Security Keypad offers keyless entry via a 4-digit access code. The security keypad can be programmed with up to 12 user codes.

Temporary codes can also be established that last for as many hours or door openings as specified.

Whilst in view of the door, the enter button can be held down to "inch" the door closed in the absence of entrapment protection devices.

It features a protective cover, LED backlighting for night-time operation and is rated IP44 for water resistance.





Transmitter Management System

The STAR1000EVO is ideal for applications requiring multiple remote access devices.

It supports up to 1,000 Security +2.0 transmitters which can be programmed through the onboard keypad and LCD screen.

Transmitters can be added or deleted singularly or in groups via an access code for added security. Transmitters can be coded offsite and backed up via an onboard memory chip.

It is supplied with an antenna for exceptional range and is rated IP44 for water resistance.



Product Guide

Part No.	STAR1000EVO
Description	Transmitter management for up to 1,000 Security +2.0 remote access devices

REMOTE ACCESS DEVICES

Wireless transmitters for security and convenience



Product Guide

Part No.	E945G
Description	3-channel keyring transmitter

Wireless Keyring Remote

The Wireless "bear-claw" Keyring Remote offers convenient personal entry to the facility. The 3-channel transmitter can operate up to 3 doors.

The device is light weight, robust and discreet in its design.





Wireless Visor Remote

The 3-channel Wireless Visor Remote is ideal for mounting onto vehicle sun visors or forklifts.

This convenient transmitter will operate up to 3 doors.

It features a yellow LED indicator when it has been

It is supplied with a visor clip on the back of the unit for easy mounting.



Product Guide

Part No.	E943G
Description	3-channel transmitter for vehicle or forklift mounting

Compatibility

Grifco remote access devices are compatible with all eDrive +2.0 openers. They can also be configured with mDrive and other openers with mechanical limits via the separately available GLMe2 series logic controller. Please refer to the separate brochure on the GLMe2 series.



Easily configurable with eDrive +2.0 via onboard 64-channel radio receiver or quick connect easy plug-in terminal

mDrive and other openers with mechanical limits



Compatible with mDrive and any other openers with mechanical limits via mechanical logic control interface (GLMe2L / GLMe2). See separate brochure titled "Mechanical Logic".

Technology

All Grifco remote access devices feature Security +2.0 technology. This advanced platform cuts through interference, and ensures consistent, reliable, long range operation of your commercial door.

With inbuilt perpetual rolling code technology, Grifco Security +2.0 transmitters are safe and secure.

All devices feature exceptional battery life, easy configuration and long range.





Chamberlain Australia Pty Ltd

Unit 1, 75 Epping Road North Ryde NSW 2113 Ph: 1800 638 234

Manufacturing

15 Dell Road, West Gosford NSW 2250 Ph: + 61 2 4323 3877 Fax: + 61 2 4323 3882 Technical Support: 1800 GRIFCO

Email Purchase Orders: grifco@chamberlainanz.com

Chamberlain Branches

Sydney - Unit 1, 75 Epping Rd North Ryde NSW 2113

Melbourne - Unit 15, 85-91 Keilor Park Drive Tullamarine Vic 3043

Brisbane - Unit 19, 140 Wecker Road Mansfield QLD 4122

Perth - Unit 1, 170 Beringarra Avenue Malaga WA 6090

Chamberlain New Zealand Limited

17A Arrenway Drive, Rosedale 0632, Auckland - Ph: +64 9 477 2823

Call: 1800 GRIFCO AUS | www.grifco.com.au Call: 0800 653 667 NZ | www.grifco.co.nz